



## Form B1

### *Audiometric Booth Assessment*

#### **Booth owner details**

---

Name / business name: \_\_\_\_\_

Business address: \_\_\_\_\_

\_\_\_\_\_

Phone: \_\_\_\_\_ Previous WorkCover WA approval no: \_\_\_\_\_  
(if applicable)

Date of test: \_\_\_\_\_ Time of test: \_\_\_\_\_

---

#### **Booth details**

---

Located at: \_\_\_\_\_

\_\_\_\_\_

Booth is: Fixed  Mobile (within a vehicle)  A room or environment only

(Please tick that which is applicable)

Make: \_\_\_\_\_ Model: \_\_\_\_\_

Approximate internal dimensions (mm): Length \_\_\_\_\_ Width \_\_\_\_\_ Height \_\_\_\_\_

Ventilation fan is fitted: Yes  No

Ventilation fan at maximum speed at time of assessment: Yes  No

---

**Assessing officer**

---

Name: \_\_\_\_\_ Company: \_\_\_\_\_

Company Address: \_\_\_\_\_

\_\_\_\_\_ Phone: \_\_\_\_\_

Qualification: \_\_\_\_\_ Approval no: \_\_\_\_\_  
(if applicable)

Signature: \_\_\_\_\_

---

**Please note WorkCover WA Approval Number of audiometer(s) in use with the Booth under assessment.**

\_\_\_\_\_

***Background noise levels inside booth (SPL) – approved method 2.2.2 and 2.3***

Octave Band Centre Frequency								
Frequency (Hz)	125	250	500	1000	2000	4000	8000	
Level (dB)								

**Please identify** any intermittent external noises that resulted in fluctuations of the noise level within the booth at 500 and 1000 Hz Octave Band Centre Frequencies.

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**Environment external to booth** – description of environment in which booth is located including any ambient noises perceptible in the environment immediately outside the booth. Example: air conditioning, speech, office equipment, traffic noise etc.

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

**Sound level meter used**

---

Make \_\_\_\_\_ Model \_\_\_\_\_

Serial Number \_\_\_\_\_

Microphone Type \_\_\_\_\_ Last Calibration Date \_\_\_\_\_

---

**Please note:** This form is to be completed in full by the assessing officer and given to the Booth owner. It is the Booth Owner’s responsibility to submit the original to WorkCover WA in order for approval to be given. It is recommended that the Booth Owner keep a copy for reference purposes.